

INCIDENT RADIO COMMUNICATIONS PLAN		Incident Name				Date/Time Prepared			Operational Period Date/Time	
		Simulated Emergency Test "Winter Fury"				1/11/2017			1-21-17, 09:00-13:00	
Ch #	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	Tx Tone/NAC	Mode A, D or M	Remarks	
1	Tactical (temp email)	Winlink	Red Cross Roanoke	145.050 N	no tone	145.05 N	no tone	A	winlink msgs to KG4KRB	
2			Regional Office						KG4KRB@winlink.org	
3									ops: KM4NSD, KM4NSE	
4	Tactical (temp email)	Winlink	Red Cross Roanoke	145.050 N	no tone	145.05 N	no tone	A	winlink msgs to KG4KRB	
5			Regional Shelter						KG4KRB@winlink.org	
6									ops: KK4NDM, KG4KRB	
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
Prepared By (Communications Unit)					Incident Location					
Ron Shiflett ron.shiflett@covenanteng.com KG4KRB@winlink.org 540 529 1888					Roanoke Co VA 37° 16' 14" N / 79° 56' 30" W					

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.